

# RXD-02 DIRECTIONAL LIGHTS







# DIRECTIONAL LIGHTS RXD-02 SERIES



TYPE



## SPECIFICATIONS

### CONSTRUCTION:

**COPPER:** Copper bullet and cast brass adjustable swivel with 240° rotation  
**ALUMINUM:** Aluminum bullet; matching cast aluminum adjustable swivel with 240° rotation

**LENS:** High impact clear tempered convex glass

**O-RING:** High temperature red silicone

**LAMP SUPPLIED:** 20w MR16 FL(BAB) 5000 hours average rating  
 (35w max copper 50w max aluminum)

**LAMP OPTIONS:** We recommend ARROW 4w LED (-LED) or 6w LED (-LED6W); 50,000 hour  
 or ARROW SAVER 4w LED (-LAS); 40,000 hour

**NOTE:** 6w ARROW LED must be factory installed due to size.

**SOCKET:** High temperature ceramic GU5.3 bi-pin with 250°C silicone lead wires

**WIRING:** Black 3 foot 18/2 zip cord from base of fixture (12v only)

For 25 foot 16/2 fixture lead wire add -25F to catalog number.

**CONNECTION:** FA-05 Quick Connector (not supplied) from fixture to main cable  
 (12/2, 10/2 or 8/2 only)

**MOUNTING:** FA-03 black 9" ABS stake threaded 1/2" NPS


**FINISH:** Copper - Unfinished only

Aluminum - Black texture polyester powder coat. Optional finishes available

## ORDERING INFORMATION

| CATALOG NO. | DESCRIPTION     | LAMP             | SHIP WEIGHT |
|-------------|-----------------|------------------|-------------|
| RXD-02-COP  | Copper Bullet   | 20w MR16 FL(BAB) | 3.0 lbs.    |
| RXD-02-BLT  | Aluminum Bullet | 20w MR16 FL(BAB) | 3.0 lbs.    |

LAMP AND STAKE **INSTALLED** TO SAVE YOU TIME AND MONEY



RXD-02-COP

RXD-02-CAM



## MOUNTING ACCESSORIES

**FA-01/-BRS** 15" 381mm

**FA-03/-BRS** 9.00" 229mm

**FA-03-LG** 9.00" 229mm

**FA-22-CST/-BRS** 3.5" 89mm

**FA-22-COP** 1.125" 29mm

**FA-23-CST/-BRS** 5.25" 133mm

**FA-23-COP** 3.25" 83mm

**FA-24MD-CST-TREE /-BRS (10"-41")** 2.65" 67mm

**FA-24-MD-CST/-BRS** 1.4" 36mm

**FA-22-TREE /-BRS (10"-41")** 2.65" 67mm

**FA-24-MD-CST-PC/-BRS** 1.4" 36mm

**FA-111-TREE /-BRS (10"-41")** 4.75" 121mm

**FA-111 /-BRS** 4.75" 121mm

**FA-24-TREE /-BRS (10"-41")** 0.875" 22mm

**FA-24-LG-CST/-BRS** 0.875" 22mm

**FA-24-LG-SPUN-COP** 0.875" 22mm

**FA-24-LG-DH-CST/-BRS** 4.75" 121mm

**FA-24-LG-DH-SPUN-COP** 0.875" 22mm

**STEM EXTENSIONS**

**FA-30** 10" 254mm

**FA-31** 13" 330mm

**FA-32** 16" 406mm

**FA-33** 21" 533mm

**FA-34** 26" 660mm

## BEAM/GLARE CONTROL ACCESSORIES

|                          |  |
|--------------------------|--|
| <b>FA-08-21</b>          | Round 1/4" Hex Cell Louver                                 |
| <b>FA-11-RXD02-BLUE</b>  | Blue Tempered Glass Insert Lens                            |
| <b>FA-11-RXD02-GREEN</b> | Green Tempered Glass Insert Lens                           |
| <b>FA-11-RXD02-AMBER</b> | Amber Tempered Glass Insert Lens                           |
| <b>FA-11-RXD02-RED</b>   | Red Tempered Glass Insert Lens                             |
| <b>FA-98-02</b>          | Linear Spread Tempered Glass Lens                          |
| <b>FA-104-36C16</b>      | Wide Spread/Softener Glass Lens for RXD-02 Copper Series   |
| <b>FA-104-RXD02ALUM</b>  | Wide Spread/Softener Glass Lens for RXD-02 Aluminum Series |

## JOB INFORMATION

Type: \_\_\_\_\_ Date: \_\_\_\_\_

Job Name: \_\_\_\_\_

Cat. No.: \_\_\_\_\_

Lamp(s): \_\_\_\_\_

Specific: \_\_\_\_\_

Contractor: \_\_\_\_\_

Notes: \_\_\_\_\_

| Black Texture (Standard) | Antique Verde | Bronze Texture | Camel | White Texture | Hunter Texture | Rust | Weathered Iron | Weathered Brown | Stucco | Rubbed Verde | Chrome Powder | Acid Rust | Acid Verde | Black Acid Treatment |
|--------------------------|---------------|----------------|-------|---------------|----------------|------|----------------|-----------------|--------|--------------|---------------|-----------|------------|----------------------|
| -BLT                     | -ATV          | -BRT           | -CAM  | -WTX          | -HTX           | -RST | -WIR           | -WBR            | -STU   | -RBV         | -CPR          | -BAR/CAR  | -BAV/CAV   | -BAT                 |




# DIRECTIONAL LIGHTS RXD-02 SERIES




**TYPE**


## LIGHT DISTRIBUTIONS AND PHOTOMETRICS




**FL-13W-FG**




**FL-13-BAB-FG**




**FL-13-ESX-FG**




**FL-13-VWFL-FG**




**FL-15-FMW-60-FG**




**FL-15-FMW-FG  
FL-15-FMW-ULTRA**




**FL-15-FMT-FG**




**FL-15-FMV-FG  
FL-15-FMV-ULTRA**




**FL-10-EXN-FG  
FL-10-EXN-ULTRA**




**FL-10-EXT-FG  
FL-10-EXT-ULTRA**




**FL-10-VWFL-FG**



**FL-10-EXZ-ULTRA**



**FL-LED-MR16-BAB**



**FL-LED-MR16-ESX**

| Black Texture (Standard) | Antique Verde | Bronze Texture | Camel | White Texture | Hunter Texture | Rust | Weathered Iron | Weathered Brown | Stucco | Rubbed Verde | Chrome Powder | Acid Rust | Acid Verde | Black Acid Treatment |
|--------------------------|---------------|----------------|-------|---------------|----------------|------|----------------|-----------------|--------|--------------|---------------|-----------|------------|----------------------|
| -BLT                     | -ATV          | -BRT           | -CAM  | -WTX          | -HTX           | -RST | -WIR           | -WBR            | -STU   | -RBV         | -CPR          | -BAR/CAR  | -BAV/CAV   | -BAT                 |