

NEW

RXD-TAC SERIES DIRECTIONAL LIGHTS



RXD-08TAC-LED-BRS



RXD-08TAC-LED-BAR



RXD-08TAC-LED-BAR

25301 COMMERCENTRE DRIVE • LAKE FOREST, CA 92630 • 949.830.1350 • 888.882.1350 • FAX 949.830.3390



DIRECTIONAL LIGHTS

RXD-08/08/10 Angle Cap Series

TYPE



SPECIFICATIONS

CONSTRUCTION: Machined brass cylinder with threaded angle cap & cast brass adjustable swivel

LENS: Clear tempered stepped glass

O-RING: High temperature red silicone

LAMP SUPPLIED MR16 MODELS: 20w MR16 FL(BAB) 5000 hours average rating (20w max)

LAMP SUPPLIED MR11 MODELS: 20w MR11 FL(FTD); 5000 hours average rating (20w max)

LAMP SUPPLIED MR8 MODELS: 20w MR8 FL(23°); 2000 hours average rating (20w max)

LAMP OPTIONS MR16 MODELS: We recommend 20w MR16 ULTRA10,000 hours average rating; 20 watt MR16 TITAN 18,000 hours average rating; 4w ARROW LED 50,000 hours average rating;

LAMP OPTIONS MR11 MODELS: We recommend 20w MR11 ULTRA10,000 hours average rating or 2w ARROW MR11 LED, 50,000 hours average rating

LAMP OPTIONS MR8 MODELS: 1.5w MR8 LED 25,000 hours average rating

SOCKET: High temperature ceramic GU5.3 bi-pin with 250°C silicone lead wires

WIRING: Black 3 foot 18/2 zip cord from base of fixture (12v only)

For 25 foot 16/2 fixture lead wire add -25F to catalog number.

CONNECTION: FA-05 Quick Connector (not supplied) from fixture to main cable (12/2, 10/2 or 8/2 only)

MOUNTING: FA-03 black 9" ABS stake, tapped 1/2" NPS

FINISH: Brass-Unfinished brass. Optional finishes available

LAMP AND STAKE *INSTALLED* TO SAVE YOU TIME AND MONEY



RXD-08-ETAC-BRS

RXD-08-TAC-BRS

RXD-09-TAC-BRS

RXD-10-TAC-BAR



ORDERING INFORMATION

CATALOG NO.	DESCRIPTION	LAMP	SHIP WEIGHT
RXD-08-TAC-BRS	Cast Brass Bullet, Threaded Angle Cap	20w MR16 FL(BAB)	3.0 lbs.
RXD-08-ETAC-BRS	Cast Brass Bullet, Extended Threaded Angle Cap	20w MR16 FL(BAB)	4.0 lbs.
RXD-09-TAC-BRS	Cast Brass Bullet, Threaded Angle Cap	20w MR11 FL(FTD)	3.0 lbs.
RXD-10-TAC-BRS	Cast Brass Bullet, Threaded Angle Cap	20w MR8 FL(23°)	3.0 lbs.

BEAM/GLARE CONTROL ACCESSORIES

RXD-08


FA-08-21	Round 1/8" Black Hex Cell Louver
FA-99	Clear convex lens
FA-11-RXD02-BLUE	Blue Tempered Flat Glass Lens
FA-11-RXD02-GREEN	Green Tempered Flat Glass Lens
FA-11-RXD02-AMBER	Amber Tempered Flat Glass Lens
FA-11-RXD02-RED	Red Tempered Flat Glass Lens
FA-98-36C16	Linear Spread Tempered Glass Lens
FA-104-SB	Wide Spread Sand Blasted Glass Lens

RXD-09

FA-08-17	Round 1/8" Black Hex Cell Louver
FA-11-17-BLUE	Blue Tempered Flat Glass Lens
FA-11-17-GREEN	Green Tempered Flat Glass Lens
FA-11-17-AMBER	Amber Tempered Flat Glass Lens
FA-11-17-RED	Red Tempered Flat Glass Lens
FA-98-17	Linear Spread Tempered Glass Lens
FA-104-17-SB	Wide Spread Sand Blasted Glass Lens

RXD-10

FA-08-23	Round 1/8" Black Hex Cell Louver
FA-11-23-BLUE	Blue Tempered Flat Glass Lens
FA-11-23-GREEN	Green Tempered Flat Glass Lens
FA-11-23-AMBER	Amber Tempered Flat Glass Lens
FA-11-23-RED	Red Tempered Flat Glass Lens
FA-98-23	Linear Spread Tempered Glass Lens
FA-104-23-SB	Wide Spread Sand Blasted Glass Lens



RXD-08-TAC

RXD-08-ETAC

RXD-09-TAC

RXD-10-TAC

JOB INFORMATION

Type:	Date:
Job Name:	
Cat. No.:	
Lamp(s):	
Specifier:	
Contractor:	
Notes:	

DIRECTIONAL LIGHTS

RXD-08/08/10 Angle Collar Series

MOUNTING ACCESSORIES

