

NEW

RXD-08 SERIES DIRECTIONAL LIGHTS



RXD-08-LED-BAR



RXD-08-TAC-LED-BRS



RXD-08-TAC-LED-BAR



RXD-08-LED-BRS



DIRECTIONAL LIGHTS RXD-08 SERIES



TYPE



SPECIFICATIONS

CONSTRUCTION: Machined brass cylinder with threaded cap & cast brass adjustable swivel
-TAC model has threaded angle cap

LENS: Clear tempered stepped glass

O-RING: High temperature red silicone

LAMP SUPPLIED: 20w MR16 FL(BAB) 5000 hours average rating (20w max)

LAMP OPTIONS: We recommend ARROW 4w LED (-LED) ; 50,000 hour
or ARROW SAVER 4w LED (-LAS); 40,000 hour

SOCKET: High temperature ceramic GU5.3 bi-pin with 250°C silicone lead wires

WIRING: Black 3 foot 18/2 zip cord from base of fixture (12v only)
For 25 foot 16/2 fixture lead wire add -25F to catalog number.

CONNECTION: FA-05 Quick Connector (not supplied) from fixture to main cable
(12/2, 10/2 or 8/2 only)

MOUNTING: FA-03 black 9" ABS stake, tapped 1/2" NPS

FINISH: Brass-Unfinished brass. Optional finishes available



RXD-08-TACLED-BRS

RXD-08-LED-BRS

IP65




ORDERING INFORMATION

CATALOG NO.	DESCRIPTION	LAMP	SHIP WEIGHT
RXD-08-BRS	Cast Brass Bullet	20w MR16 FL(BAB)	3.0 lbs.
RXD-08-TAC-BRS	Cast Brass Bullet, Threaded Angle Cap	20w MR16 FL(BAB)	3.5 lbs.

LAMP AND STAKE INSTALLED TO SAVE YOU TIME AND MONEY


MOUNTING ACCESSORIES



BEAM/GLARE CONTROL ACCESSORIES

- FA-08-21 Round 1/8" Black Hex Cell Louver
- FA-99 Clear convex lens
- FA-11-RXD02-BLUE Blue Tempered Flat Glass Lens
- FA-11-RXD02-GREEN Green Tempered Flat Glass Lens
- FA-11-RXD02-AMBER Amber Tempered Flat Glass Lens
- FA-11-RXD02-RED Red Tempered Flat Glass Lens
- FA-98-36C16 Linear Spread Tempered Glass Lens
- FA-104-SB Wide Spread Sand Blasted Glass Lens

- FA-RX-D01ACBRS Slip on Angle Collar for RXD-08-BRS
- FA-RX-D01TSBRS Slip on Tube Shield for RXD-08-BRS



JOB INFORMATION

Type: _____ Date: _____

Job Name: _____

Cat. No.: _____

Lamp(s): _____

Specifier: _____

Contractor: _____

Notes: _____

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT

RXD-08 Cut Sheet 062216

BRASS & COPPER ONLY



DIRECTIONAL LIGHTS RXD-08 SERIES



TYPE



RXD-08-BRS
with FA-RX-D01TS-BRS



RXD-08-BRS
with FA-RX-D01AC-BRS




RXD-08-LED-BRS
with optional
FA-24-LG-CST-BRS canopy




2x RXD-08-LED-BRS
with optional
FA-24-LG-CST-DH-BRS canopy


LIGHT DISTRIBUTIONS AND PHOTOMETRICS




FL-13-BAB-FG




FL-13-ESX-FG




FL-13W-FG



FL-13-VWFL-FG



FL-LED-MR16-BAB



FL-LED-MR16-ESX

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT