FA-PM SERIES FLAG POLE RINGS







MOUNTING ACCESSORIES FA-PM POLE MOUNT RING

SPECIFICATIONS

CONSTRUCTION: Aluminum or brass tree ring, 7" diameter. Fits pole diameter of 5" and accommodates up to 2 fixtures *Optional diameters available.*

MOUNTING: 3x 3/8" x 6" SS Hex Bolts (to secure to flag pole)

2x 3/8" x 1.5" SS Hex Bolts (closes ring)

2x 1/2" NPS fittings (secures two fixtures)

FINISH:

Aluminum - Black Texture (-BLT) or Bronze Texture (-BRT) powder coat Brass - Unfinished (-BRS) or Acid Rust (-BAR)

Note: All fixtures, LED drivers and transformers sold separately

Tools Required: Phillips #2 screwdriver



FA-PM-7-2H-12V-CPR w/ 2x DL-45-LEDMCPR



ORDERING INFORM	ATION		
CATALOG NO.	DESCRIPTION	SHIP WEIGHT	
12v FA-PM-7-2H-12V-BLT	7" 12v Aluminum pole ring w/ 2, 12v fixture hubs	5.0 lbs	
120v FA-PM-7-2H-120V-BLT	7" 120v Aluminum pole ring w/ 2, 120v fixture hub	s 5.0 lbs.	
12v FA-PM-7-2H-12V-BRS	7" 12v Brass pole ring w/ 2, 12v fixture hubs	5.0 lbs	JOB INFORMATION
120v FA-PM-7-2H-120V-BRS	7" 120v Brass pole ring w/ 2, 120v fixture hubs	5.0 lbs.	Type: Date: Job Name:
Note: All fixtures, drivers 8	transformers sold separately		Cat. No.: Lamp(s): Specifier: Contractor: Notes:
Black Texture Antique Broi ^(Standard) Verde Text -BLT -ATV -BI	ure Camel Texture Texture Rust Iron RT -CAM -WTX -HTX -RST -WII		Rubbed Chrome Acid Acid Black Acid Verde Powder Rust Verde Treatment -RBV -CPR -BAR/CAR -BAV/CAV -BAT
FA-PM POLE MOUNT Cut S	heet 051917		BRASS & COPPER ONLY

MOUNTING ACCESSORIES FA-PM SERIES TREE RINGS

Virtually any Focus directional bullet is compatible with the Focus pole ring, including these popular fixtures

















DL-21 Series



RXD-01 Series

RXD-08 Series

DL-22 Series

DL-30 Series

DL-42/43/45 Series





ΤΥΡΕ