

HID-40-H-EX39-840-BYP-WP



Replace 200W and 250W MH lamps for wall packs. Water/dust resistant. Uses 76% less energy than MH. 350° rotatable base puts light where you need it.

Color: White

Weight: 1.7 lbs

Project:

Type:

Prepared By:

Date:

Driver Info

Watts 40W
 Color Temp 4000K (Cool White)
 Lumens 6,200
 Efficacy 155 LPW
 Color Accuracy 80 CRI
 L70 Accuracy 50,000

LED Info

Input Voltage 100-277V
 Power Factor 0.9
 Flicker <30%
 THDi <20%
 R9

Technical Specifications

Listings

UL Listed:

Yes

UL Classified:

Yes

FCC:

Yes

Rohs:

Yes

CEC Status:

Lawful for sale in California

DLC Qualified:

Yes

DLC Listed:

This product is on the Design Lights Consortium (DLC) Qualified Products List and is eligible for rebates from DLC Member Utilities. DLC Product Code: PJT9AXRP

Description

Lamp Type:

HID

Bulb Type:

Wall Pack

Base Type:

EX39, Mogul Base

Dimmable:

No

Construction

Operating Temperature:

-20 - 40°C

Bare Lamp Illuminated Length (inches):

5.39"

MOL (inches):

8.46"

MOD (inches):

3.62"

Minimum Compartment Size (inches):

Length: 7.99"
 Width: 7.99"
 Height: 11.02"

LED Characteristics

Lifespan:

50,000-hour LED lifespan based on IES LM-70 results

Optical

Beam Angle:

180°

Other

Warranty:

5-years

HID-40-H-EX39-840-BYP-WP

Technical Specifications (continued)

Other

Accessories:

Surge protector available. Click [here](#) for surge protector accessory. Sold separately.

Shipping Information

Case Qty:

12

Case Dimensions:

16.73 x 12.68 x 10.75


Pallet Quantity of Pieces:

144

Pallet Dimensions:

27.32 x 35.43 x 36.97

Dimensions



Features

- HID REPLACEMENT - Replacement for conventional HID lamps
- BALLAST BYPASS - Internal driver eliminates the need for external driver or ballast
- COMPACT DESIGN - Allows the lamp to fit in most fixtures
- INSTALLATION ORIENTATION - Lamps can be installed universally Base up, down or sideways
- HEAT DISSIPATION - Thermal technology extends lifespan
- WATER & DUST RESISTANT - Ideal for outdoor fixtures
- ENCLOSED FIXTURE RATED - May be used in enclosed and open fixtures
- ENERGY SAVINGS - Uses 76% less energy than traditional lamps
- MERCURY FREE - Environmentally friendly vs fluorescent technologies
- 350° ROTATABLE BASE - Direct light where needed

Ordering Matrix

Family	Lamp Power	Orientation	Base Type	CRI	Color Temp	Installation Type	Lamp Type
HID	40	H	EX39	8	40	BYP	WP
	40 = 200W 60 = 250W	H = Horizontal	EX39 = EX39	8 = 80 CRI	30 = 3000K 40 = 4000K 50 = 5000K	BYP = Bypass	WP = Wall Pack

HID-40-H-EX39-850-BYP-WP



Replace 200W and 250W MH lamps for wall packs. Water/dust resistant. Uses 76% less energy than MH. 350° rotatable base puts light where you need it.

Color: White

Weight: 1.7 lbs

Project:

Type:

Prepared By:

Date:

Driver Info

Watts 40W
 Color Temp 5000K (Daylight)
 Lumens 6,200
 Efficacy 155 LPW
 Color Accuracy 80 CRI
 L70 Accuracy 50,000

LED Info

Input Voltage 100-277V
 Power Factor 0.9
 Flicker <30%
 THDi <20%
 R9

Technical Specifications

Listings

UL Listed:

Yes

UL Classified:

Yes

FCC:

Yes

Rohs:

Yes

CEC Status:

Lawful for sale in California

DLC Qualified:

Yes

DLC Listed:

This product is on the Design Lights Consortium (DLC) Qualified Products List and is eligible for rebates from DLC Member Utilities. DLC Product Code: PHKOQAG7

Description

Lamp Type:

HID

Bulb Type:

Wall Pack

Base Type:

EX39, Mogul Base

Dimmable:

No

Construction

Operating Temperature:

-20 - 40°C

Bare Lamp Illuminated Length (inches):

5.39"

MOL (inches):

8.46"

MOD (inches):

3.62"

Minimum Compartment Size (inches):

Length: 7.99"

Width: 7.99"

Height: 11.02"

LED Characteristics

Lifespan:

50,000-hour LED lifespan based on IES LM-70 results

Optical

Beam Angle:

180°

Other

Warranty:

5-years

HID-40-H-EX39-850-BYP-WP

Technical Specifications (continued)

Other

Accessories:

Surge protector available. Click [here](#) for surge protector accessory. Sold separately.

Shipping Information

Case Qty:

12

Case Dimensions:

16.73 x 12.68 x 10.75


Pallet Quantity of Pieces:

144

Pallet Dimensions:

27.32 x 35.43 x 36.97

Dimensions



Features

- HID REPLACEMENT - Replacement for conventional HID lamps
- BALLAST BYPASS - Internal driver eliminates the need for external driver or ballast
- COMPACT DESIGN - Allows the lamp to fit in most fixtures
- INSTALLATION ORIENTATION - Lamps can be installed universally Base up, down or sideways
- HEAT DISSIPATION - Thermal technology extends lifespan
- WATER & DUST RESISTANT - Ideal for outdoor fixtures
- ENCLOSED FIXTURE RATED - May be used in enclosed and open fixtures
- ENERGY SAVINGS - Uses 76% less energy than traditional lamps
- MERCURY FREE - Environmentally friendly vs fluorescent technologies
- 350° ROTATABLE BASE - Direct light where needed

Ordering Matrix

Family	Lamp Power	Orientation	Base Type	CRI	Color Temp	Installation Type	Lamp Type
HID	40	H	EX39	8	50	BYP	WP
	40 = 200W 60 = 250W	H = Horizontal	EX39 = EX39	8 = 80 CRI	30 = 3000K 40 = 4000K 50 = 5000K	BYP = Bypass	WP = Wall Pack