### A19-10-E26-827-DIM



Replace conventional halogen bulbs. Dimmable LED, 80 CRI.

Color: White

Weight: 0.1 lbs

Project:	Туре:
Prepared By:	Date:

**Driver Info** 

**LED Info** 

Watts Color Temp 10W

2700K (Soft White)

Lumens 800 Efficacy

80 LPW Color Accuracy 80 CRI

L70 Accuracy 15,000

Input Voltage 120V Power Factor ≥0.7

Flicker THDi N/A

### **Technical Specifications**

Listings

**UL Listed:** 

Yes

FCC:

Yes

Rohs:

Yes

**CEC Status:** 

Not lawful for sale in California

**ENERGY STAR V2.0:** 

This product is ENERGY STAR® Version 2.0

Certified

**Energy Star ID:** 

2329696

Description

Dimmable:

Yes, down to 10%

Lamp Type:

A Series Bulb

**Bulb Type:** 

A19

Base Type:

E26, Medium Screw Base

Material:

Plastic

Construction

**Operating Temparture:** 

-20 - 45°C

MOL (inches):

4.17"

MOD (inches):

2.36"

**LED Characteristics** 

Lifespan:

15,000-hour LED lifespan based on IES LM-70 results

Other

Equivalent:

60W Incandescent A19

Warranty:

3 years

**Optical** 

Beam Angle:

230°

**Shipping Information** 

Case Qty:

### A19-10-E26-827-DIM

### **Technical Specifications (continued)**

Shipping Information

**Pallet Quantity of Pieces:** 

**Pallet Dimensions:** 

**Case Dimensions:** 

2016

47.24 x 39.37 x 45.67

15.4 x 5.2 x 4.9

### 23/8" 60mm 43/16"

106mm

### **Features**

A-LINE REPLACEMENT - Replacement for conventional halogen and incandescent bulbs

ENERGY SAVINGS - Save up to 85% on energy

DAMP RATED - Suitable for damp locations

15,000-HOUR LIFESPAN - Last up to 13.7 years at 3 hours per day ENCLOSED FIXTURE RATED - May be used in both enclosed and open fixtures

SHATTERPROOF - Plastic lamps for rugged applications

80 CRI - Ideal for general lighting applications

DIMMABLE - Compatible with most common dimmer models

### **Ordering Matrix**

Family	Lamp Power	Base Type	CRI	Color Temp	Dimmable
A19	10	E26	8	27	DIM
	5 = 40W 9 = 60W 10 = 60W 13 = 75W 15 = 100W 16 = 100W	<b>E26 =</b> E26 <b>GU24 =</b> GU24	<b>8</b> = 80 CRI	27 = 2700K 30 = 3000K 40 = 4000K 50 = 5000K	DIM = Dimmable

### A19-10-E26-830-DIM



Replace conventional halogen bulbs. Dimmable LED, 80 CRI.

Color: White

Weight: 0.1 lbs

Project:	Туре:
Prepared By:	Date:

Driver Info LED Info

Watts 10W

Color Temp 3000K (Warm White)

Lumens 800

Efficacy 80 LPW Color Accuracy 80 CRI

L70 Accuracy 15,000

LED IIIIO

Input Voltage 120V Power Factor ≥0.7

Flicker N/A

N/A

THDi

R9

### **Technical Specifications**

Listings

**UL Listed:** 

Yes

FCC:

Yes

Rohs:

110115

Yes

**CEC Status:** 

Not lawful for sale in California

**ENERGY STAR V2.0:** 

This product is ENERGY STAR® Version 2.0

Certified

**Energy Star ID:** 

2329697

Description

Dimmable:

Yes, down to 10%

Lamp Type:

A Series Bulb

**Bulb Type:** 

A19

Base Type:

E26, Medium Screw Base

Material:

Plastic

Construction

**Operating Temparture:** 

-20 - 45°C

MOL (inches):

4.17"

MOD (inches):

2.36"

**LED Characteristics** 

Lifespan:

15,000-hour LED lifespan based on IES LM-70

results

Other

Equivalent:

60W Incandescent A19

Warranty:

3 years

**Optical** 

Beam Angle:

230°

**Shipping Information** 

Case Qty:

### A19-10-E26-830-DIM

### **Technical Specifications (continued)**

Shipping Information

**Pallet Quantity of Pieces:** 

**Pallet Dimensions:** 

**Case Dimensions:** 

2016

47.24 x 39.37 x 45.67

15.4 x 5.2 x 4.9

# 2 3/8" 60mm 4 3/16" 106mm

### Features

A-LINE REPLACEMENT - Replacement for conventional halogen and incandescent bulbs

ENERGY SAVINGS - Save up to 85% on energy

DAMP RATED - Suitable for damp locations

15,000-HOUR LIFESPAN - Last up to 13.7 years at 3 hours per day ENCLOSED FIXTURE RATED - May be used in both enclosed and open fixtures

SHATTERPROOF - Plastic lamps for rugged applications

80 CRI - Ideal for general lighting applications

DIMMABLE - Compatible with most common dimmer models

### **Ordering Matrix**

Family	Lamp Power	Base Type	CRI	Color Temp	Dimmable
A19	10	E26	8	30	DIM
	5 = 40W 9 = 60W 10 = 60W 13 = 75W 15 = 100W 16 = 100W	<b>E26</b> = E26 <b>GU24</b> = GU24	<b>8</b> = 80 CRI	27 = 2700K 30 = 3000K 40 = 4000K 50 = 5000K	<b>DIM</b> = Dimmable

### A19-10-E26-840-DIM



Replace conventional halogen bulbs. Dimmable LED, 80 CRI.

Color: White

Weight: 0.1 lbs

Project:	Туре:
Prepared By:	Date:

**Driver Info** 

Color Temp

Lumens

Efficacy

**LED Info** 

Watts 10W

Color Accuracy 80 CRI L70 Accuracy 15,000

4000K (Cool White)

800

80 LPW

e)

Power Factor ≥0.7 Flicker N/A

N/A

Input Voltage 120V

THDi

R9

### **Technical Specifications**

Listings

**UL Listed:** 

Yes

FCC:

Yes

Rohs:

110110

Yes

**CEC Status:** 

Not lawful for sale in California

**ENERGY STAR V2.0:** 

This product is ENERGY STAR® Version 2.0

Certified

**Energy Star ID:** 

2329698

Description

Dimmable:

Yes, down to 10%

Lamp Type:

A Series Bulb

**Bulb Type:** 

A19

Base Type:

E26, Medium Screw Base

Material:

Plastic

Construction

**Operating Temparture:** 

-20 - 45°C

MOL (inches):

4.17"

MOD (inches):

2.36"

**LED Characteristics** 

Lifespan:

15,000-hour LED lifespan based on IES LM-70 results

Other

Equivalent:

60W Incandescent A19

Warranty:

3 years

**Optical** 

Beam Angle:

230°

**Shipping Information** 

Case Qty:

### A19-10-E26-840-DIM

### **Technical Specifications (continued)**

Shipping Information

**Pallet Quantity of Pieces:** 

**Pallet Dimensions:** 


**Case Dimensions:** 

2016

47.24 x 39.37 x 45.67

15.4 x 5.2 x 4.9

### Dimensions



### **Features**

A-LINE REPLACEMENT - Replacement for conventional halogen and incandescent bulbs

ENERGY SAVINGS - Save up to 85% on energy

DAMP RATED - Suitable for damp locations

15,000-HOUR LIFESPAN - Last up to 13.7 years at 3 hours per day ENCLOSED FIXTURE RATED - May be used in both enclosed and open fixtures

SHATTERPROOF - Plastic lamps for rugged applications

80 CRI - Ideal for general lighting applications

DIMMABLE - Compatible with most common dimmer models

### **Ordering Matrix**

Family	Lamp Power	Base Type	CRI	Color Temp	Dimmable
A19	10	E26	8	40	DIM
	5 = 40W 9 = 60W 10 = 60W 13 = 75W 15 = 100W 16 = 100W	<b>E26</b> = E26 <b>GU24</b> = GU24	<b>8</b> = 80 CRI	27 = 2700K 30 = 3000K 40 = 4000K 50 = 5000K	DIM = Dimmable

### A19-10-E26-850-DIM



Replace conventional halogen bulbs. Dimmable LED, 80 CRI.

Color: White Weight: 0.1 lbs

Project:	Туре:
Prepared By:	Date:

Driver Info LED Info

Watts 10W Input Voltage 120V Color Temp 5000K (Daylight) Power Factor  $\geq$  0.7 Lumens 840 Flicker N/A Efficacy 84 LPW THDi N/A

Color Accuracy 80 CRI R9

L70 Accuracy 15,000

### **Technical Specifications**

Listings

**UL Listed:** 

Yes

FCC:

Yes

Rohs:

110110

Yes

**CEC Status:** 

Not lawful for sale in California

**ENERGY STAR V2.0:** 

This product is ENERGY STAR® Version 2.0

Certified

**Energy Star ID:** 

2329699

Description

Dimmable:

Yes, down to 10%

Lamp Type:

A Series Bulb

**Bulb Type:** 

A19

Base Type:

E26, Medium Screw Base

Material:

Plastic

Construction

Operating Temparture:

-20 - 45°C

MOL (inches):

4.17"

MOD (inches):

2.36"

**LED Characteristics** 

Lifespan:

15,000-hour LED lifespan based on IES LM-70 results

Other

Equivalent:

60W Incandescent A19

Warranty:

3 years

**Optical** 

Beam Angle:

230°

**Shipping Information** 

Case Qty:

### A19-10-E26-850-DIM

### **Technical Specifications (continued)**

Shipping Information

**Pallet Quantity of Pieces:** 

**Pallet Dimensions:** 

**Case Dimensions:** 

2016

47.24 x 39.37 x 45.67

15.4 x 5.2 x 4.9

## 23/8" 60mm 43/16" 106mm

### Features

A-LINE REPLACEMENT - Replacement for conventional halogen and incandescent bulbs

ENERGY SAVINGS - Save up to 85% on energy

DAMP RATED - Suitable for damp locations

15,000-HOUR LIFESPAN - Last up to 13.7 years at 3 hours per day ENCLOSED FIXTURE RATED - May be used in both enclosed and open fixtures

SHATTERPROOF - Plastic lamps for rugged applications

80 CRI - Ideal for general lighting applications

DIMMABLE - Compatible with most common dimmer models

### **Ordering Matrix** Family Lamp Power **Base Type** CRI **Color Temp** Dimmable A19 10 E26 8 50 DIM **5** = 40W **E26 =** E26 8 = 80 CRI **27 =** 2700K **DIM** = Dimmable **9** = 60W **GU24 =** GU24 **30** = 3000K 10 = 60W **40** = 4000K **13 =** 75W **50** = 5000K **15** = 100W **16 =** 100W