A19-15-E26-827-DIM

This product is ENERGY STAR® Version 2.0

Certified

2329686

Energy Star ID:

Description

Dimmable: Yes, down to 10%

				Туре:	
R	AB	Prepared	By:	Date:	
Replace conventional halogen bulbs. Dim Color: White	mable LED, 80 CRI. Weight: 0.3 lbs	Driver Info Watts Color Temp Lumens Efficacy Color Accuracy		LED Info Input Voltage 120V Power Factor ≥0.7 Flicker N/A THDi N/A R9	
Technical Specifications					
Listings	Lamp Type:		LED Charac	teristics	
UL Listed:	A Series Bulb		Lifespan:		
Yes	Bulb Type:			D lifespan based on IES LM-70	
FCC:	A19	results Other			
Yes	Base Type:				
Rohs:	E26, Medium Screw Base		Equivalent:	acont 410	
Yes	Material:		100W Incandes	Cent A 19	
CEC Status:	Plastic		Warranty:		
Not lawful for sale in California	Construction		3 years Optical		
ENERGY STAR V2.0:	Operating Temparture:		optical		

-20 - 45°C

4.57"

2.36"

MOL (inches):

MOD (inches):

Beam Angle:

Case Qty:

Shipping Information

230°

A19-15-E26-827-DIM

5 = 40W

9 = 60W

10 = 60W **13** = 75W

15 = 100W **16** = 100W **GU24 =** GU24

	ng Information	Pallet Quantity of Pieces:	Pallet Dimensions:		
ase Di	mensions:	2016	47.24 x 39.37 x 45.67		
5.4 x 5.2	2 x 4.9				
Dimens	sions		Features		
			A-LINE REPLACEMENT - Replacement for conventional halogen and incandescent bulbs		
		2 3/8" 90mm	ENERGY SAVINGS - Save up to 85% on energy		
			DAMP RATED - Suitable for damp locations		
			15,000-HOUR LIFESPAN - Last up to 13.7 years at 3 hours per day ENCLOSED FIXTURE RATED - May be used in both enclosed and		
			open fixtures		
	4 9/16″		SHATTERPROOF - Plastic lamps for rugged applications		
	116mm		80 CRI - Ideal for general lighting applications		
			DIMMABLE - Compatible with most common dimmer models *100W Dimmable A Lamps can only be used in open fixture		
Orderin	ng Matrix				
	ng Matrix Lamp Power Base Type	CRI Color Temp Dimmable			

E26 = E26 8 = 80 CRI 27 = 2700K DIM = Dimmable

30 = 3000K

A19-15-E26-830-DIM

				Туре:	
R	AB	Preparec	By:	Date:	
Replace conventional halogen bulbs. Dim Color: White	mable LED, 80 CRI. Weight: 0.3 lbs	Driver Info Watts Color Temp Lumens Efficacy Color Accuracy L70 Accuracy	-	LED Info Input Voltage 120V Power Factor ≥0.7 Flicker N/A THDi N/A R9	
Fechnical Specifications					
Listings	Lamp Type:		LED Charact	eristics	
UL Listed:	A Series Bulb		Lifespan:		
Yes	Bulb Type:		15,000-hour LEI results	D lifespan based on IES LM-70	
FCC:	A19	Other			
Yes	Base Type:		Equivalent:		
Rohs:	E26, Medium Screw Base		100W Incandeso	cent A19	
Yes	Material: Plastic		Warranty:		
CEC Status: Not lawful for sale in California	Construction		3 years		
ENERGY STAR V2.0:	Operating Temparture:		Optical		
LILINGI JIAN VZ.U.	Operating reinpatture.				

-20 - 45°C

4.57"

2.36"

MOL (inches):

MOD (inches):

This product is ENERGY STAR® Version 2.0 Certified Energy Star ID:

2329687

Description

Dimmable:

Yes, down to 10%

Beam Angle:

230°

Shipping Information

Case Qty:

A19-15-E26-830-DIM

9 = 60W

10 = 60W **13** = 75W

15 = 100W **16** = 100W **GU24 =** GU24

30 = 3000K

hipping Informat	ion	Pallet Qu	antity of Pieces:	Pallet Dimensions:		
ase Dimensions:	Dimensions: 2016			47.24 x 39.37 x 45.67		
15.4 x 5.2 x 4.9						
imensions				Features		
				A-LINE REPLACEMENT - Replacement for conventional halogen and incandescent bulbs		
		2 3/8″ 60mm		ENERGY SAVINGS - Save up to 85% on energy		
				DAMP RATED - Suitable for damp locations		
		\backslash		15,000-HOUR LIFESPAN - Last up to 13.7 years at 3 hours per day		
				ENCLOSED FIXTURE RATED - May be used in both enclosed and open fixtures		
	4 9/16″			SHATTERPROOF - Plastic lamps for rugged applications		
	116mm			80 CRI - Ideal for general lighting applications		
				DIMMABLE - Compatible with most common dimmer models *100W Dimmable A Lamps can only be used in open fixture		
-	r Base Type	CRI Color Te	emp Dimmable			
Ordering Matrix Family Lamp Powe A19 15	r Base Type E26	CRI Color Te 8 30	emp Dimmable DIM			

A19-15-E26-840-DIM

		Project:		Туре:
RAE	Prepared By:		Date:	
Replace conventional halogen bulbs. Dimmable L Color: White	ED, 80 CRI. Weight: 0.3 lbs	Driver Info Watts Color Temp Lumens Efficacy Color Accuracy L70 Accuracy		LED Info Input Voltage 120V Power Factor ≥0.7 Flicker N/A THDi N/A R9
Technical Specifications				
Listings	Lamp Type:		LED Charact	teristics
UL Listed:	A Series Bulb		Lifespan:	
Yes	Bulb Type:			D lifespan based on IES LM-70
FCC:	A19		results	
Yes	Base Type:		Other	
Rohs:	E26, Medium Screw Base		Equivalent:	
Yes	Material:		100W Incandes	cent A19
CEC Status:	Plastic		Warranty:	
Not lawful for sale in California	Construction		3 years	
ENERGY STAR V2.0:	Operating Temparture:		Optical	
This product is ENERGY STAR® Version 2.0	-20 - 45°C		Beam Angle:	

MOL (inches):

MOD (inches):

4.57"

2.36"

This product is ENERGY STAR® Version 2.0 Certified Energy Star ID:

2329688

Description

Dimmable:

Yes, down to 10%

Beam Angle:

230°

Shipping Information

Case Qty:

A19-15-E26-840-DIM

9 = 60W

10 = 60W **13** = 75W

15 = 100W **16** = 100W **GU24 =** GU24

30 = 3000K

Shipping Information	tion	Pallet Quan	tity of Pieces: Pallet Dimensions:
ase Dimensions:	Dimensions: 2016		47.24 x 39.37 x 45.67
15.4 x 5.2 x 4.9			
imensions			Features
			A-LINE REPLACEMENT - Replacement for conventional halogen and incandescent bulbs
		2 3/8″ 60mm	ENERGY SAVINGS - Save up to 85% on energy
			DAMP RATED - Suitable for damp locations
		\backslash	15,000-HOUR LIFESPAN - Last up to 13.7 years at 3 hours per day
			ENCLOSED FIXTURE RATED - May be used in both enclosed and open fixtures
	4 9/16″		SHATTERPROOF - Plastic lamps for rugged applications
	116mm		80 CRI - Ideal for general lighting applications
			DIMMABLE - Compatible with most common dimmer models *100W Dimmable A Lamps can only be used in open fixture
-	er Base Type	CRI Color Temp	Dimmable
Ordering Matrix Family Lamp Powe A19 15	er Base Type	CRI Color Temp 8 40	Dimmable

A19-15-E26-850-DIM

		Project:		Туре:	
RAB		Prepared By:		Date:	
Replace conventional halogen bulbs. Dimmable L Color: White	ED, 80 CRI. Weight: 0.3 lbs	Driver Info Watts Color Temp Lumens Efficacy Color Accuracy L70 Accuracy		LED Info Input Voltage 12 Power Factor ≥0 Flicker N/ THDi N/ R9	0.7 A
Technical Specifications	Lamp Type:		LED Characte	ristics	
	A Series Bulb			1151105	
UL Listed: Yes	Bulb Type:		Lifespan:	lifespan based on	IES I M-70
FCC:	A19		results	mespan based On	
Yes	Base Type:		Other		
Rohs:	E26, Medium Screw Base		Equivalent:		
Yes	Material:		100W Incandesce	ent A19	
CEC Status:	Plastic		Warranty:		
Not lawful for sale in California	Construction		3 years		
ENERGY STAR V2.0:	Operating Temparture:		Optical		
This product is ENERGY STAR® Version 2.0	-20 - 45°C		Beam Angle:		
Certified	MOL (inches):		230°		

4.57"

2.36"

MOD (inches):

Energy Star ID:

2329689

Description

Dimmable:

Yes, down to 10%

Shipping Information

Case Qty:

A19-15-E26-850-DIM

10 = 60W **13** = 75W

15 = 100W **16** = 100W

	on	Pallet Quantity of Pieces:	Pallet Dimensions:		
Case Dimensions:	e Dimensions: 1764		47.24 x 39.37 x 43.31		
15.4 x 5.2 x 5.3					
Dimensions			Features		
			A-LINE REPLACEMENT - Replacement for conventional halogen and incandescent bulbs		
	2 3/8" - 60mm		ENERGY SAVINGS - Save up to 85% on energy		
			DAMP RATED - Suitable for damp locations		
			15,000-HOUR LIFESPAN - Last up to 13.7 years at 3 hours per day		
			ENCLOSED FIXTURE RATED - May be used in both enclosed and open fixtures		
		—/	SHATTERPROOF - Plastic lamps for rugged applications		
	4 9/16″ 116mm		80 CRI - Ideal for general lighting applications		
			DIMMABLE - Compatible with most common dimmer models *100W Dimmable A Lamps can only be used in open fixture		
Ordering Matrix Family Lamp Power	Base Type CF	RI Color Temp Dimmable			

 5 = 40W
 E26 = E26
 8 = 80 CRI
 27 = 2700K
 DIM = Dimmable

 9 = 60W
 GU24 = GU24
 30 = 3000K
 30 = 3000K
 30 = 3000K