

# DL-21 SERIES DIRECTIONAL LIGHTS





## SPECIFICATIONS

**CONSTRUCTION:** Cast aluminum, brass or composite Bullet; matching cast aluminum, brass or composite adjustable swivel

**LENS:** High impact clear tempered convex glass

**O-RING:** High temperature red silicone

**LAMP SUPPLIED:** 40,000 hour 3w ARROW Super Saver MR16 LED (-LED3)

**LAMP OPTIONS:** We recommend 40,000 hour 5w (-LED5) or 7w (-LED7) ARROW Super Saver MR16 LED, or 5,000 hour 20w MR16 FL(BAB) Halogen

**NOTE:** ARROW MR16 LED must be factory installed to fit properly

**SOCKET:** High temperature ceramic GU5.3 bi-pin with 250°C silicone lead wires

**WIRING:** Black 3 foot 18/2 zip cord from base of fixture (12v only)

For 25 foot 16/2 fixture lead wire add -25F to catalog number.


**CONNECTION:** FA-05 Quick Connector (not supplied) from fixture to main cable (12/2, 10/2 or 8/2 only)

**MOUNTING:** FA-03 black 9" ABS stake threaded 1/2" NPS

**FINISH:** Aluminum-Black texture polyester powder coat. Optional finishes available Brass-Unfinished brass. Optional finishes available



DL-21-BRS  
mounted on  
FA-24-BRS



## ORDERING INFORMATION

| CATALOG NO.    | DESCRIPTION          | LAMP               | SHIP WEIGHT |
|----------------|----------------------|--------------------|-------------|
| DL-21-LED3-BLT | Cast Aluminum Bullet | 3w MR16 LED 36° FL | 2.0 lbs.    |
| DL-21-LED3-BRS | Cast Brass Bullet    | 3w MR16 LED 36° FL | 3.0 lbs.    |
| CDL-21-LED3    | Composite Bullet     | 3w MR16 LED 36° FL | 2.0 lbs.    |



## MOUNTING ACCESSORIES

Diagram illustrating various mounting accessories and their dimensions:


- FA-01/BRS:** 15" (381mm) length, 1.63" (41mm) diameter.
- FA-03/BRS:** 9.00" (229mm) length, 2" (51mm) diameter.
- FA-03-LG:** 9.00" (229mm) length, 3" (76mm) diameter.
- FA-22-CST-/BRS:** 5.75" (146mm) length, 3.5" (89mm) diameter.
- FA-24MD-CST-TREE (10"-41"):** 1.125" (28mm) length, 2.65" (67mm) diameter.
- FA-24-MD-CST-/BRS:** 1.4" (36mm) length, 2.65" (67mm) diameter.
- FA-24-BRS:** 0.9" (23mm) length, 3" (76mm) diameter.
- FA-22-TREE (10"-41"):** 1.125" (28mm) length, 2.65" (67mm) diameter.
- FA-24-MD-CST-PC-/BRS:** 1.4" (36mm) length, 2.65" (67mm) diameter.
- FA-111-TREE (10"-41"):** 4.75" (121mm) length, 2.65" (67mm) diameter.
- FA-111:** 4.75" (121mm) length, 2.65" (67mm) diameter.
- FA-24-LG-CST / -BRS:** 0.875" (22mm) length, 4.75" (121mm) diameter.
- FA-24-LG-SPUN / -BRS:** 0.875" (22mm) length, 4.75" (121mm) diameter.
- FA-24-LG-DH-SPUN-/BRS:** 0.875" (22mm) length, 4.75" (121mm) diameter.
- FA-24-LG-DH-CST-/BRS:** 0.875" (22mm) length, 4.75" (121mm) diameter.
- STEM EXTENSIONS:** FA-30 (10" / 254mm), FA-31 (13" / 330mm), FA-32 (16" / 406mm), FA-33 (21" / 533mm), FA-34 (26" / 660mm).

## BEAM/GLARE CONTROL ACCESSORIES

|             |  |
|-------------|--|
| FA-08-21    | Round 1/8" Hex Cell Louver               |
| FA-11-BLUE  | Blue Tempered Glass Lens                 |
| FA-11-GREEN | Green Tempered Glass Lens                |
| FA-98       | Linear Spread Tempered Glass Lens        |
| FA-99       | High Impact Clear Tempered Convex Glass  |
| FA-104      | Wide Spread Tempered Glass Lens Softener |

| Black Texture (Standard) | Antique Verde | Bronze Texture | Camel | White Texture | Hunter Texture | Rust | Weathered Iron | Weathered Brown | Stucco | Rubbed Verde | Chrome Powder | Acid Rust | Acid Verde | Black Acid Treatment |
|--------------------------|---------------|----------------|-------|---------------|----------------|------|----------------|-----------------|--------|--------------|---------------|-----------|------------|----------------------|
| -BLT                     | -ATV          | -BRT           | -CAM  | -WTX          | -HTX           | -RST | -WIR           | -WBR            | -STU   | -RBV         | -CPR          | -BAR/CAR  | -BAV/CAV   | -BAT                 |

# LIGHT DISTRIBUTIONS AND PHOTOMETRICS



| Black Texture (Standard) | Antique Verde | Bronze Texture | Camel | White Texture | Hunter Texture | Rust | Weathered Iron | Weathered Brown | Stucco | Rubbed Verde | Chrome Powder | Acid Rust | Acid Verde | Black Acid Treatment |
|--------------------------|---------------|----------------|-------|---------------|----------------|------|----------------|-----------------|--------|--------------|---------------|-----------|------------|----------------------|
| -BLT                     | -ATV          | -BRT           | -CAM  | -WTX          | -HTX           | -RST | -WIR           | -WBR            | -STU   | -RBV         | -CPR          | -BAR/CAR  | -BAV/CAV   | -BAT                 |