



landscape • entertainment • architectural • hospitality • illumination

# DL-38 DIRECTIONAL LIGHTS





# 120V-277V PAR38 DL-38-NL SERIES



TYPE

## SPECIFICATIONS

**CONSTRUCTION:** Cast aluminum, cast brass or composite bullet; matching heavy duty cast aluminum, brass or composite adjustable swivel

**NOTE:** Weep holes standard in bottom of fixture body to allow water to flow through when using outdoor rated PAR38 lamps without fixture lens and to allow air flow for high temperature PAR38 lamps. See DOWN LIGHTS note below for down light applications.

**LENS:** None supplied. High impact clear tempered convex glass included on -ECL models and on -ACL models

**O-RING:** High temperature red silicone

**LAMP SUPPLIED:** None. Use only outdoor rated PAR38 lamps (150w max)

**LAMP OPTIONS:** We recommend 21w PAR38 Arrow LED with 50,000 hour average rating.

**SOCKET:** High temperature ceramic medium base with 250°C silicone lead wires

**WIRING:** Standard 120v-277v Black, White and Ground 9" lead wires

**MOUNTING:** None supplied. See Mounting Accessories below for options

**FINISH:** Aluminum-Black texture polyester powder coat. Optional finishes available. Brass-Unfinished brass. Optional finishes available.

**DOWN LIGHTS:** Add -D suffix to end of catalog number for down light without weep holes.




**DL-38-NLACL**  
On FA-26 Mounting Post

## ORDERING INFORMATION

CATALOG NO.	DESCRIPTION	LAMP	SHIP WEIGHT
DL-38-NL-BLT	Cast Aluminum PAR38 Bullet	None	4.0 lbs.
DL-38-NL-BRS	Cast Brass PAR38 Bullet	None	7.0 lbs.
CDL-38-NL	Composite PAR38 Bullet	None	2.0 lbs.
DL-38-NL-EC-BLT	Cast Aluminum PAR38 Bullet, Extension Collar, No Lens	None	5.0 lbs.
DL-38-NL-EC-BRS	Cast Brass PAR38 Bullet, Extension Collar, No Lens	None	8.0 lbs.
CDL-38-NL-EC	Composite PAR38 Bullet, Extension Collar, No Lens	None	3.0 lbs.
DL-38-NL-ECL-BLT	Cast Aluminum PAR38 Bullet, Extension Collar, Convex Lens	None	5.0 lbs.
DL-38-NL-ECL-BRS	Cast Brass PAR38 Bullet, Extension Collar, Convex Lens	None	8.0 lbs.
CDL-38-NL-ECL	Composite PAR38 Bullet, Extension Collar, Convex Lens	None	3.0 lbs.
DL-38-NL-AC-BLT	Cast Aluminum PAR38 Bullet, Angle Collar, No Lens	None	6.0 lbs.
CDL-38-NL-AC	Composite PAR38 Bullet, Angle Collar, No Lens	None	3.0 lbs.
DL-38-NL-ACL-BLT	Cast Aluminum PAR38 Bullet, Angle Collar, Convex Lens	None	6.0 lbs.
CDL-38-NL-ACL	Composite PAR38 Bullet, Angle Collar, Convex Lens	None	3.0 lbs.

**IP54**

-ECL & -ACL Models



DL-38-NL

DL-38-NLECL

DL-38-NLAC

### JOB INFORMATION

Type: \_\_\_\_\_ Date: \_\_\_\_\_

Job Name: \_\_\_\_\_

Cat. No.: \_\_\_\_\_

Lamp(s): \_\_\_\_\_

Specifier: \_\_\_\_\_

Contractor: \_\_\_\_\_

Notes: \_\_\_\_\_

FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA 92630  
 www.focusindustries.com sales@focusindustries.com (949) 830-1350 • FAX (949) 830-3390

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT




# DIRECTIONAL LIGHTS DL-38-NL SERIES

**TYPE**



## MOUNTING ACCESSORIES



## BEAM/GLARE CONTROL ACCESSORIES

- FA-36** Aluminum Extension Cap only, no lens
- FA-36-BRS** Brass Extension Cap only, no lens
- CFA-36** Composite Extension Cap only, no lens
  
- FA-36-99** Aluminum Extension Cap, Tempered Convex Glass Lens
- FA-36-99BRS** Brass Extension Cap, Tempered Convex Glass Lens
- CFA-36-99** Composite Extension Cap, Tempered Convex Glass Lens
  
- FA-36-AC** Aluminum Angle Cap only, no lens
- CFA-36-AC** Composite Angle Cap only, no lens
  
- FA-36-ACL** Aluminum Angle Cap, Tempered Convex Glass Lens
- CFA-36-ACL** Composite Angle Cap, Tempered Convex Glass Lens
  
- FA-08-38** Round 1/4" Hex Cell Louver
- FA-10-38-BLUE** Blue Tempered Flat Glass Lens
- FA-10-38-GREEN** Green Tempered Flat Glass Lens
- FA-10-38-RED** Red Tempered Flat Glass Lens
- FA-10-38-AMBER** Amber Tempered Flat Glass Lens
- FA-99-38** Clear Tempered Convex Glass Lens
- FA-98-38** Linear Spread Tempered Glass Lens
- FA-104-38** Wide Spread Tempered Glass Lens Softener

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT