

# SL20 MEDIUM WELL LIGHT 12 VOLTS

SL20MD

PROJECT:

TYPE:

DATE:

CATALOG NUMBER:



SL20MDLLEDM740



SL20MDGMR16L48BRT



SL20MDLLEDM1540BRT  
with FA135MD (Eyebrow)

## CATALOG ORDER LOGIC

EXAMPLE: SL20MDGLEDM740

## FIXTURE

SL Specialty Light

## SERIES

20

## SIZE

MD Medium

## OPTIONS

- ☐ L Lens Holder  
☐ G Grate

| 12 VOLT LED MODULE              | WATT | SOCKET | KELVIN | LUMEN  |
|---------------------------------|------|--------|--------|--------|
| <input type="checkbox"/> LEDM7  | 7w   | ~      | 2800K  | 560lm  |
| <input type="checkbox"/> LEDM11 | 11w  | ~      | 2800K  | 960lm  |
| <input type="checkbox"/> LEDM15 | 15w  | ~      | 2800K  | 1280lm |
| <input type="checkbox"/> LEDM20 | 20w  | ~      | 2800K  | 1800lm |

## OPTICS (Optics for LED modules only)

- ☐ 15 (15° Spot)  
☐ 40 (40° Narrow Flood)  
☐ 60 (60° Flood)  
☐ 160 (160° Wide Flood, No Optic)


| 12 VOLT LED                  | WATT | SOCKET | BEAM ANGLE | KELVIN | LUMEN |
|------------------------------|------|--------|------------|--------|-------|
| <input type="checkbox"/> L22 | 3w   | GU5.3  | 15°        | 2700K  | 270lm |
| <input type="checkbox"/> L24 | 3w   | GU5.3  | 36°        | 2700K  | 270lm |
| <input type="checkbox"/> L26 | 3w   | GU5.3  | 80°        | 2700K  | 270lm |
| <input type="checkbox"/> L34 | 5w   | GU5.3  | 15°        | 2700K  | 450lm |
| <input type="checkbox"/> L36 | 5w   | GU5.3  | 36°        | 2700K  | 450lm |
| <input type="checkbox"/> L38 | 5w   | GU5.3  | 80°        | 2700K  | 450lm |
| <input type="checkbox"/> L46 | 7w   | GU5.3  | 15°        | 2700K  | 550lm |
| <input type="checkbox"/> L48 | 7w   | GU5.3  | 36°        | 2700K  | 550lm |
| <input type="checkbox"/> L50 | 7w   | GU5.3  | 80°        | 2700K  | 550lm |

## INTERNAL OPTIONS

- ☐ AB Aiming Bracket (To be used with NLMB version)

## FINISH (standard finishes listed)

- ☐ BRT (Aluminum- Bronze Texture)  
☐ BLT (Aluminum- Black Texture)  
☐ BRS (Unfinished- Brass)  
Premium and Acid Finishes (See page 4 for more color options)  
Pantone & RAL Colors (Enter RAL or Pantone number at end of part number)



# SL20 MEDIUM WELL LIGHT 12 VOLTS

SL20MD

PROJECT:

TYPE:


DATE:

CATALOG NUMBER:

## DIMENSIONS


### Dimensions Shown with Lens Holder

Place 3in Minimum Above Grade




### Dimensions Shown with Grate

Place 3in Minimum Above Grade



FOCUS INDUSTRIES INC.  
25301 COMMERCE DRIVE  
LAKE FOREST, CA. 92630  
949.830.1350 | TOLL FREE: 888.882.1350  
WWW.FOCUSINDUSTRIES.COM



# SL20 MEDIUM WELL LIGHT 12 VOLTS

SL20MD

|                 |       |       |
|-----------------|-------|-------|
| PROJECT:        | TYPE: | DATE: |
| CATALOG NUMBER: |       |       |


## SPECIFICATIONS

|           |           |                                                                                                                                                                                                                        |
|-----------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| INTERNALS | VOLTAGE   | 12v                                                                                                                                                                                                                    |
|           | WATTAGE   | MR16 (3w, 5w, 7w) LED Modules (7w, 11w, 15w, 20w)                                                                                                                                                                      |
|           | LED       | MR16 Super Saver LED: 3w [12v], 5w [12v], 7w [12v] (Turtle Friendly Options Available)<br>LED Modules: 7w [12v], 11w [12v], 15w [12v], 20w [12v]                                                                       |
|           | LUMENS    | 3w MR16: 270lm, 5w MR16 450lm, 7w MR16: 550lm,<br>LED Modules: 7w (560lm) 11w (960lm) 15w (1280lm) 20w (1800lm)                                                                                                        |
|           | CCT       | MR16: 3w (2700K), 5w (2700K), 7w (2700K)<br>LED Module: 7w (2800K), 11w (2800K), 15w (2800K), 20w (2800K)                                                                                                              |
|           | WIRING    | 12v: 48.00" Black 18 AWG SPT1-W,300V UL                                                                                                                                                                                |
|           | GASKET    | Close cell sponge, 4.75" square x .190"th, center cut out, 2 holes, PSA 1-side                                                                                                                                         |
|           | SOCKET    | GU5.3 Bi-Pin (For MR16 version only)                                                                                                                                                                                   |
|           | HEAT SINK | Pin fin heat sink. Aluminum 1070, surface treatment black anodized (LED Modules Only)                                                                                                                                  |
| EXTERNALS | BUCKET    | Composite BMC Bronze well light bucket                                                                                                                                                                                 |
|           | MATERIALS | Aluminum, Brass, Composite                                                                                                                                                                                             |
|           | LENS      | Convex glass lens, clear tempered, 155mm x 28mm, ±.5mm                                                                                                                                                                 |
|           | FINISH    | Aluminum: Standard finishes (BLT/BRT: Black or Bronze texture) More finishes available, see page 5<br>Brass: Standard unfinished (Acid treatments available, see page 5)<br>Composite: Unfinished BMC bronze composite |
|           | LISTINGS  | IP65. Indoor/Outdoor use. Suitable for wet locations                                                                                                                                                                   |

Click Icon to Download



FOCUS INDUSTRIES INC.  
25301 COMMERCE DRIVE  
LAKE FOREST, CA. 92630  
949.830.1350 | TOLL FREE: 888.882.1350  
WWW.FOCUSINDUSTRIES.COM



# SL20 MEDIUM WELL LIGHT 12 VOLTS

SL20MD

|                 |       |       |
|-----------------|-------|-------|
| PROJECT:        | TYPE: | DATE: |
| CATALOG NUMBER: |       |       |

## ACCESSORIES

(Configure and order accessories separately)

### Lenses



FA35SL20MDRED  
(Red Color Glass Lens)



FA35SL20MDAMBER  
(Amber Color Glass Lens)



FA35SL20MDGREEN  
(Green Color Glass Lens)



FA35SL20MDBLUE  
(Blue Color Glass Lens)



FA10SGSL20MDSB  
(Sand Blasted Lens)




FA08SL20MD  
(Hex Cell Louver)



FA10SGSL20MD  
(Clear Flat Glass Lens)

### Lens Holders & Eyebrows



FA133-BLT/-BRS  
(Blue Color Glass Lens)



FA134-BLT/-BRS  
(Blue Color Glass Lens)




FA135-BLT / -BRS  
(Blue Color Glass Lens)

### Trims




FA133MDTR2  
(TR2 Aiming Trim)



FA133MDTR1  
(TR1 Stationary Trim)



FOCUS INDUSTRIES INC.  
25301 COMMERCE DRIVE  
LAKE FOREST, CA. 92630  
949.830.1350 | TOLL FREE: 888.882.1350  
WWW.FOCUSINDUSTRIES.COM



# SL20 MEDIUM WELL LIGHT 12 VOLTS

SL20MD

PROJECT: TYPE: DATE:

CATALOG NUMBER:

## LED DATA

### 12v MR16 DATA

| L#  | CCT   | CRI | WATTS | LUMENS      | RATED HOURS |
|-----|-------|-----|-------|-------------|-------------|
| L22 | 2700K | 80  | 3     | 270         | 40,000      |
| L24 | 2700K | 80  | 3     | 270         | 40,000      |
| L26 | 2700K | 80  | 3     | 270         | 40,000      |
| L34 | 2700K | 80  | 5     | 450         | 40,000      |
| L36 | 2700K | 80  | 5     | 450         | 40,000      |
| L38 | 2700K | 80  | 5     | 450         | 40,000      |
| L40 | Amber | ~   | 5     | (585-595nm) | 40,000      |
| L46 | 2700K | 80  | 7     | 550         | 40,000      |
| L48 | 2700K | 80  | 7     | 550         | 40,000      |
| L50 | 2700K | 80  | 7     | 550         | 40,000      |

### 12v LED MODULE DATA


| L#     | CCT   | CRI | WATTS | LUMENS | RATED HOURS |
|--------|-------|-----|-------|--------|-------------|
| LEDM7  | 2800K | 80+ | 7     | 560    | 50,000      |
| LEDM11 | 2800K | 80+ | 11    | 960    | 50,000      |
| LEDM15 | 2800K | 80+ | 15    | 1280   | 50,000      |
| LEDM20 | 2800K | 80+ | 20    | 1800   | 50,000      |

### OPTICS

| OPTICS                 | ANGLE          |
|------------------------|----------------|
| SP - Spot              | 15°            |
| FL - Flood             | 40°            |
| WFL - Wide Flood       | 60°            |
| VWFL - Very Wide Flood | 160° No Optics |



FOCUS INDUSTRIES INC.  
25301 COMMERCE CENTRE DRIVE  
LAKE FOREST, CA. 92630  
949.830.1350 | TOLL FREE: 888.882.1350  
WWW.FOCUSINDUSTRIES.COM



# SL20 MEDIUM WELL LIGHT 12 VOLTS

SL20MD

PROJECT:

TYPE:

DATE:


CATALOG NUMBER:

## FINISHES

### STANDARD FINISHES



Black Texture  
(-BLT)



Bronze Texture  
(-BRT)

### PREMIUM FINISHES



Black Magic  
(-BKM)



Dark Bronze  
(-DBZ)

### CUSTOM FINISHES Supply RAL or Pantone here

#### RAL #:

Need help finding a RAL color?  
<https://www.ralcolor.com/>

#### PANTONE #:

Need help finding a Pantone color?  
<https://www.pantone.com/color-finder>

### OPTIONAL POWDER COAT FINISHES



Chrome Powder  
(-CPR)



Hunter Texture  
(-HTX)



Luna  
(-LUN)



Mineral Bronze  
(-BRZ)



Rubbed Verde  
(-RBV)



Rust  
(-RST)



Stucco  
(-STU)



Weathered Iron  
(-WIR)



Weathered Brown  
(-WBR)



White Gloss  
(-WHT)



White Texture  
(-WTX)

### ACID FINISHES Brass and Copper fixtures only



Acid Rust  
Brass (-BAR)  
Copper (-CAR)



Black Acid Treatment  
Brass (-BAT)  
Copper (-BAT)



Acid Verde  
Brass (-BAV)  
Copper (-CAV)



SCAN FOR FULL SIZE  
COLOR SWATCHES



FOCUS INDUSTRIES INC.  
25301 COMMERCE DRIVE  
LAKE FOREST, CA. 92630  
949.830.1350 | TOLL FREE: 888.882.1350  
WWW.FOCUSINDUSTRIES.COM